



Food grade paraffin

Paraffin is used in numerous branches of industry. It is, among others, one of the main ingredients of waxes intended for contact with food. These products are manufactured in accordance with the GMP (Good Manufacturing Practice) regulations applicable in the company with elements of the GHP (Good Hygiene Practice).

PRODUCT	MAIN APPLICATION	TECHNICAL SPECIFICATIONS		
ALPACKWAX G	Wax for removing poultry feathers that are particularly difficult to remove, such as geese and ducks			
WAX DROMA				
DROMA WAX T	Used in the poultry industry as a means of cleaning poultry carcasses from feathering	Current Safety Data Sheets and		
DROMA WAX PLUS	Ü	Information Sheets as well as Technical Conditions of individual products are available on our		
WAX RED		website polwax.pl		
WAX S	Used in the dairy industry to coat rennet ripening cheese			
WAX GREEN				

GMP stands for Good Manufacturing Practice

One of the requirements of the GMP is also control testing in the scope of purity and substance content in products. In addition, it is very important to use suitable food colouring when producing waxes intended for contact with food – especially for cheese. These colours must appear on the list of colours authorised for use in foodstuffs as required by Directive 94/36/EC of the European Parliament and of the Council of 30 June 1994 on colours for use in foodstuffs (as amended).

Products in this group are subject to regular control tests verifying the content of heavy metals and the content of PAHs and carcinogenic substances. In addition, products are tested for compliance with the quality standards of the United States Food and Drug Administration (FDA).



DEDICATED PURPOSE

products dedicated to specific applications



REGULAR CONTROL TESTS

checking products for quality that meets the required standards



DEDICATED PIGMENTS

use of the highest quality dyes intended for contact with food



FCM/GMP

some products intended for direct contact with food

Packaging, storage	ALPACKWAX G	WAX DROMA	WAX DROMAT	WAX DROMA PLUS	WAX RED	WAX S	WAX GREEN
LOOSE SHEETS ON 300-500 KG PALLETS INTERLEAVED WITH SILICONE PAPER PASTILLES IN 20 KG POLYETHYLENE	•		•				
BAGS ON 600 KG PALLETS CARTONS APPROX. 20 KG, MAX. 40 CARTONS ON A PALLET	•	•		•	•	•	•

Product suitability guarantee

The guarantee of suitability of individual products applies only to physical and chemical parameters and

is counted from the date of sale. Detailed parameters are specified in the technical conditions available

at polwax.pl

Storage method

The products should be stored in closed packages, protected against direct sunlight, moisture and mechanical

impurities, away from heat sources. In addition, the technical conditions include information on the appropriate

storage temperature, as well as the possible shelf life of individual products stored in accordance with the

guidelines.

Conditions of delivery

The products are manufactured in the Production Plant in Jasło (PL38200) and Czechowice-Dziedzice (PL43502).

Possible collection by own transport on the basis of the FCA production plant. It is possible to organize transport

by Polwax S.A. (based on CPT), after presenting a price offer including delivery costs to the customer's premises.

Orders and delivery schedules

Orders for full truck loads should be sent at least 7 days before the planned shipment of the product. In the case

of larger quantities for regular collections, it is advisable to send a monthly collection schedule by the 20th day of

the month preceding the month of delivery.

Polwax S.A. 3 Maja St, 101 Jaslo 38-200

biuro@polwax.pl +48 13 446 62 41

07/22