

The product is a substance. The substance does not meet the criteria for classification as dangerous, it is not persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) and is not included in the list of substances established in accordance with Article 59(1) of Regulation No 1907/2006 (REACH). Accordingly, pursuant to Article 31 of the above regulation it is not required to prepare/supply Material Safety Data Sheet, but only provide recipient with the information compiled on the basis of Article 32 of the above regulation.

1. SUBSTANCE IDENTIFICATION

Trade name:

Paraffin LUMINA	PWX 310	PWX 510
Paraffin LUXOLINA	PWX 310S	PWX 550
Wax for polishes	PWX 320	PWX 561
Wax for plasticine	PWX 320S	PWX 561S
Wax P low oil content	PWX 411	PWX 600
PWX 100S	PWX 411S	PWX 600S
PWX 300	PWX 420S	
	PWX 500	

No. of registration: **01-2119487943-22-0000**

No. CAS: **64742-43-4**

No. EINICS (WE): **265-145-6**

Application of product:

The products are mainly used for making grave candles, in paper, textile and varnish coatings industry, as well as for impregnation and protection in the chemical industry and other industries.

Details on the supplier of the information:

Polwax S.A.,
ul. 3 Maja 101; 38-200 Jasło
tel. (013) 44 66 241
kch@polwax.pl

2. INFORMATION ON PERMITS

The product is not subject to authorization procedure in accordance with the provisions of Title VII of the REACH regulation (paragraph 6.1 of this information.)

3. INFORMATION ON RESTRICTIONS

The product is not subject to restrictions in accordance with the provisions of Title VIII of the REACH regulation (paragraph 6.1 of this information).

4. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- Appearance: solid in ambient temperature
- Flash point: above 180°C
- pH value (water extract): neutral
- Solubility: in hydrocarbons solvents, insoluble in water

Name: Paraffin LUMINA, Paraffin LUXOLINA, Wax for polishes, Wax for plasticine; Wax P Low oil content, PWX 100S, PWX 300, PWX 310, PWX 310S, PWX 320, PWX 320S, PWX 411, PWX 411S, PWX 420S, PWX 500, PWX 510, PWX 550, PWX 561, PWX 561S, PWX 600, PWX 600S



Information on substance, for which Material Safety Data Sheet is not required

The information is prepared in accordance with Article 32 of
Regulation No 1907/2006 (REACH)

INF/LP/02

Date of edition: 01.12.2010

Date of update: 08.09.2021

5. INFORMATION ON RISK MANAGEMENT MEASURES

Product handling:

When handling the product the general safety and fire protection precautions should be complied with. It is recommended to keep product away from heat / sparks / open flames / hot surfaces. As far as possible the work should be performed in a well- ventilated place, avoid breathing vapors and contact with skin and eyes. Avoid release to the environment, do not empty into drains.

Product storage:

Product should be stored in a cool and dry storage area equipped with a ventilation installation. Do not smoke, use open fire and sparking devices at the storage area. Packaging should be sealed and properly labeled, placed away from sources of heat and strong oxidizing agents. Avoid exposure to direct sunlight. Packaging should protect the product against moisture, mechanical impurities and air. The product in the liquid (or solid) state should be stored in closed tanks, equipped with a heating system.

Storage Temperature: At room temperature - avoid temperature above 25°C.

Packaging: Use the packaging resistant to the action of hydrocarbons.

Recommended personal protective equipment:

Respiratory system: Special protection is not required, although vapors of product shouldn't be inhaled. In the case of extensive fire or fire in limited areas of limited or poorly ventilated areas, use full protective clothing, fireproof and self-contained breathing apparatus.

Depending on the amount of spilled material and the estimated range of exposure respirator or full face mask respirator with the combined anti-dust / vapor or organic substances filter or Self Contained Breathing Apparatus (SCBA) can be used. If the situation can not be fully assessed, or if there is a risk of oxygen deficiency, you should only use Self Contained Breathing Apparatus.

Hand and skin: Special protection is not required, although in order to minimize possible risks it is recommended to use protective clothing and gloves to ensure effective protection against chemical agents, particularly aromatic hydrocarbons.

Eye and Face Protection: Special protection is not required, although it is recommended to use protective goggles, and if risk of splashing occurs - full protection of the head, face and neck.

Firefighting measures

Suitable extinguishing media: Use dry chemicals, foam. Carbon dioxide, sand or soil can be used for putting out small fires only.

Inappropriate extinguishing media: Water may be used only for cooling the containers exposed to flame or heat.

Under the influence of high temperature, the fumes heavier than the air can be emitted, and they can spread at the ground level, where upon contact with a source of fire they might cause further ignition. Burning product might float on the surface of water. Carbon monoxide (CO) may be formed as a result of incomplete combustion of the product.

Advice for firefighters

Product vapors should be dispersed by sprayed stream of water. Avoid the ingress of water into burning containers, tanks – high temperature may cause the burning material to be rapidly ejected by the steam and the fire may spread uncontrolled. The heat may cause pressure increase and bursting of closed containers, which conduces to spreading of fire and risk of burning and injury. The containers exposed to the action of fire or high

Name: Paraffin LUMINA, Paraffin LUXOLINA, Wax for polishes, Wax for plasticine; Wax P Low oil content, PWX 100S, PWX 300, PWX 310, PWX 310S, PWX 320. PWX 320S, PWX 411, PWX 411S, PWX 420S, PWX 500, PWX 510, PWX 550, PWX 561, PWX 561S, PWX 600, PWX 600S

temperature should be cooled down with water from a safe distance, and – if possible – removed from the area of danger. Fires in closed or poorly ventilated areas can be extinguished only by trained firefighters equipped with protective clothing and approved breathing apparatus with independent air supply.

Transport information:

The product is not subject to ADR / RID (item 6.3 -6.4)

6. LEGAL BASIS

- 6.1 Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 and Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105 / EC and 2000/21/EC (vegetables THE L136 of 29 May 2007) as amended, 987/2008, 134/2009, 552/2009.
- 6.2 Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 of 16 December 2008. on classification, labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal. EU L 353 / 2, 31.12.2008) 790/2009, as amended.
- 6.3 Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods (Text with EEA relevance), as amended.
- 6.4 Rules for International Carriage of Dangerous Goods by Rail (RID), issued pursuant to the Convention concerning International Carriage by Rail (COTIF) done at Berne on 9 May 1980. (Dz.U.85.34.158, as amended.)